



AUGERS WITH THREAD CONNECTION																			
A	L (mm)	B	FIL	D (mm)	I (mm)	C (mm)	H (mm)	E (mm)	F (mm)	G (mm)	WEIGHT S=8 (Kg)				WEIGHT S=8,8 (Kg)				CODE
											L				L				
											1000	1500	2000	3000	1000	1500	2000	3000	
100	1000 - 3000	60	BWJ	100	8	22	50	32	20	80	15	20	27	38					AEL 100A0(_L_)BWJ
120	1000 - 3000	76	2 3/8 AR	125	8	30	65	40	20	95	20	28	36	50					AEL 100B6(_L_)R238
125				125	8						24	30	36	48					AEL 125B6(_L_)R238
140				150	10						30	35	40	54					AEL 140B6(_L_)R238
160				150	10						30	40	46	63					AEL 160B6(_L_)R238
180				200	10						33	40	49	67					AEL 180B6(_L_)R238
200				200	10						35	42	54	77					AEL 200B6(_L_)R238
220				200	10						34	48	61	84					AEL 220B6(_L_)R238

ASTE ELICOIDALI CON FIL. API

A (mm)	L (mm)	B (mm)	FIL	D (mm)	I (mm)	C (mm)	H (mm)	E (mm)	F (mm)	G (mm)	PESO St=8 (Kg)				PESO St=8,8 (Kg)				CODICE
											L				L				
											1000	1500	2000	3000	1000	1500	2000	3000	
											140	1000 - 3000	90	2 3/8 AR	150	10	30	65	
150	2 3/8 AR	150	10	33	43	52	70							AEL 150D0(_ _ _)R238					
160	2 3/8 AR	150	10	35	45	55	74							AEL 160D0(_ _ _)R238					
180	2 3/8 AR	200	10	33	42	52	75							AEL 180D0(_ _ _)R238					
200	2 3/8 AR	200	10	35	45	64	82							AEL 200D0(_ _ _)R238					
220	2 3/8 AR	200	10	38	51	72	94							AEL 220D0(_ _ _)R238					
250	2 3/8 AR	250	10	46	61	78	106							AEL 250D0(_ _ _)R238					
140	1000 - 3000	90	2 7/8 AR	150	10	30	65	40	20	111	30			38	47	64			
150			2 7/8 AR	150	10						33	43	52	70					AEL 150D0(_ _ _)R278
160			2 7/8 AR	150	10						35	45	55	74					AEL 160D0(_ _ _)R278
180			2 7/8 AR	200	10						33	42	52	75					AEL 180D0(_ _ _)R278
200			2 7/8 AR	200	10						35	45	64	82					AEL 200D0(_ _ _)R278
220			2 7/8 AR	200	10						38	51	72	94					AEL 220D0(_ _ _)R278
250			2 7/8 AR	250	10						46	61	78	106					AEL 250D0(_ _ _)R278

140	1000 - 3000	90	2 3/8 IF	150	10	40	65	40	20	111	30	38	47	64					AEL 140D0(____)F238
150			2 3/8 IF	150	10						33	43	52	70					AEL 150D0(____)F238
160			2 3/8 IF	150	10						35	45	55	74					AEL 160D0(____)F238
180			2 3/8 IF	200	10						33	42	52	75					AEL 180D0(____)F238
200			2 3/8 IF	200	10						35	45	64	82					AEL 200D0(____)F238
220			2 3/8 IF	200	10						38	51	72	94					AEL 220D0(____)F238
250			2 3/8 IF	250	10						46	61	78	106					AEL 250D0(____)F238

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ASTE ELICOIDALI CON FIL. API

A (mm)	L (mm)	B (mm)	FIL	D (mm)	I (mm)	C (mm)	H (mm)	E (mm)	F (mm)	G (mm)	PESO St=8 (Kg)				PESO St=8,8 (Kg)				CODICE
											L				L				
											1000	1500	2000	3000	1000	1500	2000	3000	
200	1000 - 3000	114	3 1/2 AR	200	10						36	45	60	90					AEL 200F4(____)R312
220											45	56	70	100					AEL 220F4(____)R312
250											50	70	91	133					AEL 250F4(____)R312